



BEVERAGE-AIR®

| | |
|-----------------|------|
| Project: _____ | AIA# |
| Item: _____ | |
| Location: _____ | SIS# |
| Approved: _____ | |

RI18HC BOTTOM MOUNT REACH-IN: RI SERIES

RI REACH-IN REFRIGERATOR

RI18HC Solid Door Bottom Mount Refrigerator
Hydrocarbon Series

**MODEL:
RI18HC**



**5 Year Parts/Labor Warranty Available
7 Year Compressor Warranty**

CABINET CONSTRUCTION

- Stainless steel exterior and interior
- Full electronic control
- Interior LED light
- Four (4) shelves standard
- One piece grille
- Self-closing door with 120° stay-open feature, on spring loaded hinges
- Snap-in magnetic door gasket
- 3" Heavy duty casters standard

OPTIONS & ACCESSORIES

- 3 Year parts/labor standard, additional 2 year warranty available
- Epoxy shelves & clips
- 6" Casters or 6" legs optional
- Wire shelf dividers
- Right or left hinged door
- Remote option* (see note on back page)

REFRIGERATION SYSTEM

- Refrigeration system uses R290 refrigerant to comply with all environmental concerns
- Automatic, non-electric defrost
- Epoxy coated evaporator coil
- Maintains temperature between 36° and 38°F



Please verify qualifying units by visiting:
www.energystar.gov/cfs

3779 Champion Blvd., Winston-Salem, NC 27105
1-888-845-9800 Fax: 1-336-245-6453
Beverage-Air.com Sales@bevair.com




BEVERAGE-AIR®

| MODEL | RI18HC |
|----------------------------------|-------------|
| EXTERNAL DIMENSIONAL DATA | |
| Width Overall | 27 ¼" |
| Depth Overall with Handle | 29 ⅛" |
| Height Overall | 72 ¼" |
| Number of Doors | 1 |
| Depth with Door Open 90° | 52 ¾" |
| Door Opening (in) | 24" x 52 ¾" |
| INTERNAL DIMENSIONAL DATA | |
| NET Capacity (cubic ft.) | 16.85 |
| Internal Width Overall (in) | 24 ¼" |
| Internal Depth Overall (in) | 21 ¼" |
| Internal Height Overall (in) | 53" |
| Number of Shelves | 4 |
| ELECTRICAL DATA | |
| Full Load Amperes 115/60/1 | 5.5 |
| REFRIGERATION DATA | |
| Horsepower | 1/4 |
| Capacity (BTU/Hr) | 1997 |
| Heat Rejection (BTU/Hr) | 2995.5 |
| Charge (lbs/grams) | 0.19/86 |
| SHIPPING DATA | |
| Gross Weight (crated lbs) | 322 lbs |
| Height - Crated | 76" |
| Width - Crated | 30" |
| Depth - Crated | 32" |

*NOTE: Remote units are field wired and come with 6" legs.
Refrigerant must be specified at time of order.

Bottom Mount Reach-In Solid Door Model: RI18HC



ELECTRICAL CONNECTION



115/60/1
NEMA 5-15P

Unit pre-wired at factory and include 10.7' long cord and plug set.



3779 Champion Blvd., Winston-Salem, NC 27105 1-888-845-9800 Fax: 1-336-245-6453 Beverage-Air.com Sales@bevair.com

an Ali Group Company



The Spirit of Excellence