

FEATURES

- Tub capacity 10 with storage capacity of 9 below
- Kick plate and bumper guard standard
- Excellent for building a dipping cabinet
- Sliding glass lids
- Lock and key
- Mobility casters for effortless relocation and cleaning
- Impregnated thermal glass lids
- Easy to clean
- Temperature Range: -24C to -16C / -11.2°F to 3.2°F

CONSTRUCTION

- Cold wall refrigeration
- White enamel exterior
- White stucco aluminum interior
- Cabinet built to the highest engineering standards
- ETL approved
- R290 refrigerant

OPTIONAL ACCESSORIES AVAILABLE

- CF2RPK - Baskets - CF59SG holds 5
- CF-SKRT - Lids and Skirt for the CF2RPK - 1 set per basket
- CF59FG - Food Guard
- CFDW—Dipwell
- CFDW-K - Dipwell Installation Kit

DIMENSIONS

- 14.3 cu. ft. net capacity
- External - 58.7" / 24.6" / 36.4" (W/D/H)
- Internal - 53.6" / 19.5" / 27.6" (W/D/H)
- External Height 50.4" with Optional Food Guard
- Shipping Weight - 206 lbs. / 93 kg.

POWER

- 115 volt
- 60 Hz
- Single Phase
- Nema 5-15 plug
- Dedicated circuit required
- 1/3 Compressor / 3.7 Amps



Celcold freezer merchandisers make selling your ice cream easy and profitable. Celcold's reliable refrigeration system keeps your product properly frozen to ensure quality. With mobility casters, these units can be moved effortlessly, allowing you to maximize sales in any retail environment.

WARRANTY

- Compressor 5 years
- Parts & Labor 2 years



Model #	Net Capacity	Width	Depth	Height	Width Internal	Depth Internal	Height Internal	Basket Capacity	Shipping Weight
CF59SG	14.3 cu. ft. 404 litres	58.7" 1491 mm	24.6" 625 mm	36.4" 925 mm	53.6" 1360 mm	19.5" 495 mm	27.6" 700 mm	5	206 lbs 93 kg



Optional Accessories

CF59FG Food Guard

- Excellent for building a dipping cabinet
- 3/8" clear acrylic
- Easy to clean
- Width 58.375"
- Depth 23 7/8"
- Height 14"
- Weight 55 lbs



Clear 3/8" acrylic food guard for your CF59SG Ice-Cream dipping cabinet. Comes complete with a 3 hole cone holder and crumb catcher.

CFDW Dipwell

- Stainless steel construction
- Santoprene rubber bumper
- 1" drain and overflow tube included
- Holds 4 - 6 scoops
- Water inlet included
- Easy to clean
- The CFDW-K installation kit is ordered separately



CFDW-K Dipwell Installation Kit


1. Coupling nut
2. Tail piece
3. Leather gasket
4. Barrel valve
5. Male connector
6. Ferrule
7. Plastic tubing
8. Saddle valve
9. Saddle valve and accoutrement



** MOUNTING PLATE FOR DIPPING WELL SHOULD BE INSTALLED ABOVE THE FROSTLINE **

CF2RPK Basket

- Excellent for building a dipping cabinet
- Powder coated basket holds 2 tubs
- Easy to clean
- Width 10.5"
- Depth 21.4"
- Height 14.9"
- Weight 2 lbs




The CF59SG holds 5 CF2RPK baskets. Each basket holds 2 Ropak tubs of ice cream.

Please order CF280567 if you have Cardboard Tubs

CF-SKRT Skirt and 2 Lids


- 1 skirt and 2 lids per set
- Easy to clean
- Width 10"
- Depth 19.25"
- Height 1.75"
- Weight 1 lbs



The CF-SKRT sits around the tubs and conceals the storage area below. The lids keep the product protected between servings and overnight when not in use.


CF280568 Novelty Basket

- Easy to clean
- Comes with 2 dividers
- Width 10.75"
- Depth 21"
- Height 15.5"
- Weight 2 lbs



CF1-GPH Gelato Pan

- Easy to clean
- Powdered Coated Steel
- Width 10.75"
- Depth 21"
- Height 6/34"
- Weight 2 lbs



	Application	Height With Handle	Height Without Handle	Width	Depth	Handle Height	Handle Width
CF2RPK	2 Ropak Tubs	16"	11 1/4"	10"	21"	4 3/4"	6 1/4"
CF-SKRT	Tub Skirt Cover	1.75"	0.75"	10"	19.25"	n/a	n/a
CF280567	2 Cardboard Tubs	14"	9"	10"	21"	5"	6 1/4"
CF1-GPH	Gelato Pans	6 3/4"	4 3/4"	6 1/2"	21"	2"	6 1/2"
CF280568	Novelties	15 1/2"	12 1/2"	10 3/4"	21"	3"	7 1/2"