



We put space to work.

Item # _____

Job _____



Accessories — **Super Erecta Pro™**

Accessories Compatible with Super Erecta Pro™ Shelves

Accessories contained in this catalog sheet are NSF listed.




8" (203mm) Universal Shelf Dividers - Light Duty

- Mounting Clips snap onto the top surface of the mat and can be positioned along the shelf.
- Corrosion proof: Polymer (Polypropylene).
- Three-piece design — Ships assembled.

| Nominal Length | | Compatible with Shelf Depths | | Approx. Pkd. Wt. | | Model No. |
|----------------|------|------------------------------|----------|------------------|------|----------------|
| (in.) | (mm) | (in.) | (mm) | (lbs.) | (kg) | |
| 18 | 457 | 18, 21 | 457, 530 | 2.25 | 1.0 | MUD18-8 |
| 24 | 610 | 24 | 610 | 2.75 | 1.3 | MUD24-8 |

Replacement clips: DCLIP bag of (2).




Note: MUD18-8 can mount to 21" (530mm) deep shelves.

8" (203mm) Shelf Dividers - Standard Duty

- Mounting Clips snap over the edges of the mat for more rugged applications.
- Easily repositioned on the polymer shelf mats.
- Corrosion proof: Polymer (Polypropylene).
- Three-piece design — Ships assembled.

| Nominal Length | | Compatible with Shelf Depths | | Approx. Pkd. Wt. | | Model No. |
|----------------|------|------------------------------|------|------------------|------|----------------|
| (in.) | (mm) | (in.) | (mm) | (lbs.) | (kg) | |
| 18 | 457 | 18 | 457 | 1.3 | 0.6 | MQD18-8 |
| 24 | 610 | 24 | 610 | 1.6 | 0.7 | MQD24-8 |



Post Clamp

Adds stability by joining posts of two separate units together. With it, each unit is supported by four posts and buttressed by the adjacent unit.

Plated Steel.
Model No: 9994Z



Foot Plate

Used to add stability to the shelving unit or to bolt units to the floor.

Model No.
Zinc: 9993Z
Stainless Steel: 9993S



Wall Clamp

Used to anchor a Super Erecta Pro shelving unit to the wall. Plated finish.

Model No. 9984C

Note: Foot plates (fastened to the floor) or wall clamps (fastened to the wall) must be used with 14" (357mm) deep stationary Super Erecta Pro units taller than 63" (1600mm).

All Metro Catalog Sheets are available on our website: www.metro.com



InterMetro Industries Corporation
North Washington Street, Wilkes-Barre, PA 18705
Product Information. U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: www.metro.com/contactus

L02-185
Printed in U.S.A. Rev. 11/21

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2021 InterMetro Industries Corp.

10-81



Accessories — Super Erecta Pro™

2" (51mm) Stackable Shelf Ledges

- Prevent items from falling off shelves.
- Snap on and off quickly. Easily stacked to contain larger items
- Mounts to shelving units configured with four posts.
- Corrosion proof: Polymer (Polypropylene) and Type 304 stainless steel.
- Ships assembled.
- NOTE: 24" model (PRL24-2S) adjusts to fit shelf depth or length. End clips can be adjusted.


| Model No. | Nominal Length | | Approx. Pkd. Wt. | |
|-----------------|----------------|------|------------------|------|
| | (in) | (mm) | (lbs.) | (kg) |
| PRL18-2S | 18 | 457 | 0.56 | 0.25 |
| PRL21-2S | 21 | 530 | 0.63 | 0.29 |
| PRL24-2S | 24 | 610 | 0.69 | 0.31 |
| PRL36-2S | 36 | 914 | 1.00 | 0.45 |
| PRL42-2S | 42 | 1066 | 1.10 | 0.50 |
| PRL48-2S | 48 | 1219 | 1.31 | 0.59 |
| PRL60-2S | 60 | 1524 | 1.63 | 0.74 |
| PRL72-2S | 72 | 1829 | 2.00 | 0.91 |



Label Holder

- Designed to accept label cards or adhesive labels. Slot measures approximately 1 1/4" (32mm).

| Label Holder Model No. | Actual Length | | Fits Shelf | | Approx. Pkd. Wt. | |
|------------------------|---------------------------------|------|------------|------|------------------|------|
| | (in.) | (mm) | (in.) | (mm) | (lbs.) | (kg) |
| MQ04LH | 4 | 102 | All | | .03 | .01 |
| MQ24LH | 15 ⁷ / ₁₆ | 392 | 24 | 610 | .14 | .06 |
| MQ36LH | 27 ⁷ / ₁₆ | 697 | 36 | 914 | .30 | .13 |
| MQ48LH | 39 ⁷ / ₁₆ | 1002 | 48 | 1219 | .40 | .18 |
| MQ60LH | 51 ⁷ / ₁₆ | 1307 | 60 | 1524 | .50 | .22 |
| MQ72LH | 63 ⁷ / ₁₆ | 1611 | 72 | 1825 | .60 | .27 |



MQ04LH

Color Shelf Markers

- Attach easily to shelf for content identification.
- Available in seven standard colors.

| Model No. | Length | | Approx. Pkd. Wt. | | Color |
|-----------------|--------|------|------------------|------|--------|
| | (in.) | (mm) | (lbs.) | (kg) | |
| CSM6-BQ | 6 | 152 | 0.05 | 0.02 | Blue |
| CSM6-GQ | 6 | 152 | 0.05 | 0.02 | Green |
| CSM6-RQ | 6 | 152 | 0.05 | 0.02 | Red |
| CSM6-TQ | 6 | 152 | 0.05 | 0.02 | Tan |
| CSM6-WQ | 6 | 152 | 0.05 | 0.02 | White |
| CSM6-YQ | 6 | 152 | 0.05 | 0.02 | Yellow |
| CSM6-GRQ | 6 | 152 | 0.05 | 0.02 | Gray |



CSM6-RQ

Accessories — Super Erecta Pro™

Shelf-to-Shelf Dividers

- Create full height compartments to fully organize the storage cube between two shelves.
- Can be used as a side ledge or interior divider.
- Consists of a divider assembly and (4) mounting clips

Divider assembly: Polypropylene 4" (102mm) panels and stainless steel rods.

Mounting clips: High-density polyethylene (HDPE)

| Fits Shelf Depth (in.) | Fits Shelf Depth (mm) | Nominal Height (in.) | Nominal Height (mm) | Approx. Pkd. Wt. (lbs.) | Approx. Pkd. Wt. (kg) | Model No. |
|------------------------|-----------------------|----------------------|---------------------|-------------------------|-----------------------|-----------|
| 18, 21 | 457, 530 | 16 | 406 | 2.3 | 1.0 | MD18-16 |
| 18, 21 | 457, 530 | 20 | 508 | 2.5 | 1.1 | MD18-20 |
| 18, 21 | 457, 530 | 24 | 610 | 3.8 | 1.7 | MD18-24 |
| 24 | 610 | 16 | 406 | 2.8 | 1.2 | MD24-16 |
| 24 | 610 | 20 | 508 | 3.0 | 1.3 | MD24-20 |
| 24 | 610 | 24 | 610 | 4.4 | 2.0 | MD24-24 |




Replacement mounting clips may be ordered.

RPM3-S2SBAG bag of (4) clips

Enclosure Panels

- Corrosion resistant epoxy finish is suitable for wet environments
- Mounting hardware is included

| Model No. | Width/Height (in.) | | Width/Height (mm) | | For Use With Post Height (in.) | For Use With Post Height (mm) | For Use With Shelf Width (in.) | For Use With Shelf Width (mm) | Approx. Pkd. Wt. (lbs.) | Approx. Pkd. Wt. (kg) |
|---------------|--------------------------------|---------------------------------|-------------------|-------|--------------------------------|-------------------------------|--------------------------------|-------------------------------|--------------------------------|-----------------------|
| MEP35E | 12 ³ / ₈ | x51 ¹ / ₄ | 315 | x1300 | 54 | 1370 | 18 | 457 | 6 ¹ / ₄ | 2.8 |
| MEP36E | 12 ³ / ₈ | x59 ¹ / ₄ | 315 | x1505 | 63 | 1600 | 18 | 457 | 7 | 3.2 |
| MEP37E | 12 ³ / ₈ | x71 ¹ / ₄ | 315 | x1810 | 74 | 1880 | 18 | 457 | 8 ³ / ₄ | 4.0 |
| MEP55E | 18 ³ / ₈ | x51 ¹ / ₄ | 467 | x1300 | 54 | 1370 | 24 | 610 | 9 | 4.1 |
| MEP56E | 18 ³ / ₈ | x59 ¹ / ₄ | 467 | x1505 | 63 | 1600 | 24 | 610 | 10 ¹ / ₄ | 4.7 |
| MEP57E | 18 ³ / ₈ | x71 ¹ / ₄ | 467 | x1810 | 74 | 1880 | 24 | 610 | 11 ³ / ₄ | 5.3 |



Panels Required to Enclose Both Ends of Shelving Unit or Cart

| Post Height | Shelf Width | | |
|--------------|----------------------------|-------------------|-------------------|
| | 14" & 18" (355 & 457mm) | 21" (530mm) | 24" (610mm) |
| 54" (1370mm) | (2) MEP35E | (2) MEP55E | (2) MEP55E |
| 63" (1600mm) | (2) MEP36E | (2) MEP56E | (2) MEP56E |
| 74" (1880mm) | (2) MEP37E | (2) MEP57E | (2) MEP57E |

NOTE: End enclosures may be used with the extended handles on 18", 21", and 24" wide Super Erecta Pro carts. The end enclosure cannot be used with a 14" wide extended handle.

NOTE: On 14" wide shelving, the end enclosure mounts slightly offset to one side. On all other shelf widths, the end enclosures mount between the posts.

| Post Height | Shelf Length | | | | | | | |
|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | 24" (610mm) | 30" (760mm) | 36" (914mm) | 42" (1066mm) | 48" (1219mm) | 54" (1370mm) | 60" (1524mm) | 72" (1825mm) |
| 54" (1370mm) | (2) MEP35E | (2) MEP35E | (1) MEP35E | (1) MEP55E | (2) MEP55E | (1) MEP35E | (1) MEP35E | (1) MEP35E |
| 63" (1600mm) | (2) MEP36E | (2) MEP36E | (1) MEP36E | (1) MEP56E | (2) MEP56E | (1) MEP36E | (1) MEP36E | (1) MEP36E |
| 74" (1880mm) | (2) MEP37E | (2) MEP37E | (1) MEP37E | (1) MEP57E | (2) MEP57E | (1) MEP37E | (1) MEP37E | (1) MEP37E |
| | | | | | | (2) MEP55E | (3) MEP55E | (3) MEP55E |
| | | | | | | (2) MEP36E | (1) MEP36E | (1) MEP36E |
| | | | | | | (1) MEP56E | (2) MEP56E | (3) MEP56E |
| | | | | | | (2) MEP37E | (1) MEP37E | (1) MEP37E |
| | | | | | | (1) MEP57E | (2) MEP57E | (3) MEP57E |

NOTE: When using enclosures on Top-Track mobile units with 74" (1880mm) tall posts, use the enclosure panel for the 63" post (MEP36E, MEP56E) to assure the enclosure fits below the guide rail.




We put space to work.®

Accessories — Super Erecta Pro™

Cutting Board and Tray Drying Rack System

- Rack is mounted on top of the Super Erecta Pro shelf.
- Promotes safe air drying of cutting boards and trays.
- 1 1/8" (28mm) and 3" (76mm) slide spacing available.
- Tough, corrosion-resistant taupe epoxy finish.

| Model No. | Fits Shelf or Frame (in.) (mm) | | Upright Spacing (in.) (mm) | | Upright Height (in.) (mm) | | Tray Capacity | Approx. Pkd. Wt. (lbs.) (kg) | |
|------------|-----------------------------------|----------|-------------------------------|----|------------------------------|-----|------------------|---------------------------------|------|
| XTR2436XE | 24x36 | 610x914 | 1 1/8 | 28 | 6 | 150 | 24 | 14.7 | 6.7 |
| XTR2448XE | 24x48 | 610x1219 | 1 1/8 | 28 | 6 | 150 | 34 | 19.8 | 9.0 |
| XTR2460XE | 24x60 | 610x1524 | 1 1/8 | 28 | 6 | 150 | 43 | 25.4 | 11.5 |
| XTR2436XEA | 24x36 | 610x914 | 3 | 76 | 6 | 150 | 10 | 9.9 | 4.5 |
| XTR2448XEA | 24x48 | 610x1219 | 3 | 76 | 6 | 150 | 14 | 12.9 | 5.8 |
| XTR2460XEA | 24x60 | 610x1524 | 3 | 76 | 6 | 150 | 17 | 16.4 | 7.4 |



Can Rack System

- Front loading, front dispensing can rack holds eight #10 cans or twelve #5 cans.
- Tough, corrosion-resistant taupe epoxy finish.

| Model No. | Overall Width/Length/Height (in.) (mm) | Approx. Pkd. Wt. (lbs.) (kg) |
|-----------|--|------------------------------------|
| CR24E | 7 7/8 x 25 5/16 x 15 200 x 643 x 381 | 10 4.5 |



Adjustable Slides

- Slides can be adjusted left to right to accommodate a variety of pan, tray, and container sizes.
- Corrosion-resistant taupe epoxy finish.
- Shelves must be spaced 20" (508mm) apart.
- Can be used in conjunction with 20" (508mm) tall shelf to shelf dividers.

| Model No. | Fits Shelf Width (in.) (mm) | | Length | Approx. Pkd. Wt. (lbs.) (kg) |
|-----------|--------------------------------|-----|------------|------------------------------------|
| MQ24SE | 24 | 610 | Adjustable | 12 3/4 6 |

